

# State Profiles FISCAL YEAR 2017

The complete FY 2017 State Profiles comprise individual state-specific documents along with four other accompanying documents. The Executive Summary details the current state of sexuality education across the country, highlighting trends observed over the past few decades. Additionally, it is critical to examine the information from each state within the larger context of the laws and federal funding streams across the country. Please reference the following documents to inform and contextualize broader sexuality education trends:

- [Executive Summary](#)
- [Federal Funding Overview](#) – compared to [Connecticut’s federal funding](#)
- [Sex/Sexuality and HIV and other STIs Education Laws by State](#) – compared to [Connecticut’s education laws](#)
- [Descriptions of Curricula and Programs across the United States](#)

## CONNECTICUT

**In Fiscal Year 2017,<sup>1</sup> the state of Connecticut received:**

- **Division of Adolescent and School Health funds totaling \$415,000**
- **Personal Responsibility Education Program funds totaling \$544,655**

**In Fiscal Year 2017, local entities in Connecticut received:**

- **Teen Pregnancy Prevention Program funds totaling \$999,999**

### SEXUALITY EDUCATION LAW AND POLICY

#### STATE LAW

Connecticut state law does not require schools to teach sexuality education, but [Connecticut General Statutes §§ 164-10-16\(b\)–\(f\)](#) does require schools to teach human growth and development and disease prevention. Connecticut law also states: “Each local and regional board of education shall offer during the regular school day planned, ongoing and systematic instruction on acquired immune deficiency syndrome [AIDS], as taught by legally qualified teachers.”<sup>2</sup>

The Connecticut State Board of Education is charged with developing family life education curriculum guidelines that “shall include, but not be limited to, information on developing a curriculum including family planning, human sexuality, parenting, nutrition and the emotional, physical, psychological, hygienic, economic and social aspects of family life, provided the curriculum guides shall not include information pertaining to abortion as an alternative to family planning.”<sup>3</sup> However, Connecticut statute also states that the instruction must be left to the discretion of local or regional boards of education.

Parents or guardians may remove their children from sexuality education and/or sexually transmitted disease (STD)/human immunodeficiency virus (HIV) education classes with written notification. [This is referred to as an “opt-out” policy.](#)

## STATE STANDARDS

The [\*Guidelines for the Sexual Health Education Component of Comprehensive Health Education\*](#) provides guidance for sexuality education curricula in Connecticut. This 79-page document includes “differentiating between gender identity, sexual orientation, and the concept of gender roles,” identifying and discussing “the value of postponing sexual activity, the methods and effectiveness of contraception, ways to protect oneself from communicable diseases,” and defining and describing “healthy sexuality and sexual expression throughout the lifespan.”

## STATE LEGISLATIVE ACTIVITY

SIECUS tracks all state legislative session activity in our state legislative reports. For more information on bills related to school-based sexuality education that were introduced or passed in 2016, please see the most recent analysis of state legislative activity, [\*SIECUS’ 2016 Sex Ed State Legislative Year-End Report: Top Topics and Takeaways\*](#).

## YOUTH SEXUAL HEALTH DATA

Young people are more than their health behaviors and outcomes. For those wishing to support the sexual health and wellbeing of young people, it is important to utilize available data in a manner that tracks our progress and pushes policies forward while respecting and supporting the dignity of all young lives.

While data can be a powerful tool to demonstrate the sexuality education and sexual health care needs of young people, it is important to be mindful that these behaviors and outcomes are impacted by systemic inequities present in our society that affect an individual’s sexual health and wellbeing. That is, the context in which a young person’s health behavior and decision-making happens is not reflected in individual data points. Notably, one example demonstrating such inequities are the limitations as to how and what data are currently collected; please be mindful of populations who may not be included in surveys or who may be misrepresented by the data. The data categories and any associated language are taken directly from the respective surveys and are not a representation of SIECUS’ positions or values. For more information regarding SIECUS’ use of data, please read the FY 2017 Executive Summary, [\*A Portrait of Sexuality Education in the States\*](#).

## CONNECTICUT YOUTH RISK BEHAVIOR SURVEY (YRBS) DATA<sup>4</sup>

The following sexual health behavior and outcome data represent some of the most recent information available on the health of young people who attend high schools in Connecticut. Though not perfect—for instance, using broad race and ethnicity categories can often distort and aggregate the experiences of a diverse group of respondents—the YRBS is a critical resource for understanding the health behaviors of young people when used carefully and with an awareness of its limitations. Any missing data points indicate either a lack of enough respondents for a subcategory or the state’s decision not to administer a question on the survey. SIECUS commends the Centers for Disease Control and Prevention (CDC) for conducting decades’ worth of field studies to improve the accuracy and relevancy of the YRBS. Like the CDC, SIECUS underlines that “school and community interventions should focus not only on behaviors but also on the determinants of those behaviors.”<sup>5</sup>

## CONNECTICUT

### Reported ever having had sexual intercourse

- In 2015, 31.3% of female high school students and 34.5% of male high school students in Connecticut reported ever having had sexual intercourse, compared to 39.2% of female high school students and 43.2% of male high school students nationwide.
- In 2015, 43.5% of lesbian, gay, or bisexual (LGB) high school students, 24% of high school students who were unsure of their sexual orientation, and 31.9% of heterosexual high school students in Connecticut reported ever having had sexual intercourse, compared to 50.8% of LGB high school students, 31.6% of high school students who were unsure of their sexual orientation, and 40.9% of heterosexual high school students nationwide.
- In 2015, 32.6% of black high school students, 39.6% of Hispanic high school students, and 31.4% of white high school students in Connecticut reported ever having had sexual intercourse, compared to 48.5% of black high school students, 42.5% of Hispanic high school students, and 39.9% of white high school students nationwide.

### Reported having had sexual intercourse before age 13

- In 2015, 1.3% of female high school students and 4% of male high school students in Connecticut reported having had sexual intercourse before age 13, compared to 2.2% of female high school students and 5.6% of male high school students nationwide.
- In 2015, 3% of LGB high school students, 5.2% of high school students who were unsure of their sexual orientation, and 2.2% of heterosexual high school students in Connecticut reported having had sexual intercourse before age 13, compared to 7.3% of LGB high school students, 8.8% of high school students who were unsure of their sexual orientation, and 3.4% of heterosexual high school students nationwide.
- In 2015, 4.2% of black high school students, 4.4% of Hispanic high school students, 1.5% of white high school students, and 1.8% of high school students who identified as multiple races in Connecticut reported having had sexual intercourse before age 13, compared to 8.3% of black high school students, 5.0% of Hispanic high school students, 2.5% of white high school students, and 5.8% of high school students who identified as multiple races nationwide.

### Reported being currently sexually active

- In 2015, 25.1% of female high school students and 21.4% of male high school students in Connecticut reported being currently sexually active, compared to 29.8% of female high school students and 30.3% of male high school students nationwide.
- In 2015, 30% of LGB high school students, 18.2% of high school students who were unsure of their sexual orientation, and 22.8% of heterosexual high school students in Connecticut reported being currently sexually active, compared to 35.1% of LGB high school students,

## CONNECTICUT

22.9% of high school students who were unsure of their sexual orientation, and 30.1% of heterosexual high school students nationwide.

- In 2015, 18% of black high school students, 26.9% of Hispanic high school students, and 23.3% of white high school students in Connecticut reported being currently sexually active, compared to 33.1% of black high school students, 30.3% of Hispanic high school students, and 30.3% of white high school students nationwide.

### Reported not using a condom during last sexual intercourse

- In 2015, 46.4% of female high school students and 33.4% of male high school students in Connecticut reported not using a condom during their last sexual intercourse, compared to 48% of female high school students and 38.5% of male high school students nationwide.
- In 2015, 61.4% of LGB high school students and 37.4% of heterosexual high school students in Connecticut reported not using a condom during their last sexual intercourse, compared to 52.5% of LGB high school students and 42.2% of heterosexual high school students nationwide.
- In 2015, 40.9% of Hispanic high school students and 40.4% of white high school students in Connecticut reported not using a condom during their last sexual intercourse, compared to 44.4% of Hispanic high school students and 43.2% of white high school students nationwide.

### Reported not using any method to prevent pregnancy during last sexual intercourse

- In 2015, 12.3% of female high school students and 10.5% of male high school students in Connecticut reported not using any method to prevent pregnancy during their last sexual intercourse, compared to 15.2% of female high school students and 12.2% of male high school students nationwide.
- In 2015, 25.2% of LGB high school students and 9.7% of heterosexual high school students in Connecticut reported not using any method to prevent pregnancy during their last sexual intercourse, compared to 26.4% of LGB high school students and 12.4% of heterosexual high school students nationwide.
- In 2015, 19.6% of Hispanic high school students and 7.3% of white high school students in Connecticut reported not using any method to prevent pregnancy during their last sexual intercourse, compared to 20.0% of Hispanic high school students and 10.4% of white high school students nationwide.

### Reported having had drunk alcohol or used drugs during last sexual intercourse<sup>6</sup>

- In 2015, 19.1% of female high school students and 26.6% of male high school students in Connecticut reported having had drunk alcohol or used drugs during their last sexual

## CONNECTICUT

intercourse, compared to 16.4% of female high school students and 24.6% of male high school students nationwide.

- In 2015, 19.4% of LGB high school students and 21.8% of heterosexual high school students in Connecticut reported having had drunk alcohol or used drugs during their last sexual intercourse, compared to 22.4% of LGB high school students and 20% of heterosexual high school students nationwide.
- In 2015, 18.1% of Hispanic high school students and 23% of white high school students in Connecticut reported having had drunk alcohol or used drugs during their last sexual intercourse, compared to 22.8% of Hispanic high school students and 19.3% of white high school students nationwide.

### Reported never having been tested for HIV

- In 2015, 88.7% of female high school students and 90.9% of male high school students in Connecticut reported never having been tested for HIV, compared to 88.9% of female high school students and 90.7% of male high school students nationwide.
- In 2015, 84.5% of LGB high school students, 85.5% of high school students who were unsure of their sexual orientation, and 90.6% of heterosexual high school students in Connecticut reported never having been tested for HIV, compared to 81.8% of LGB high school students, 87.2% of high school students who were unsure of their sexual orientation, and 90.7% of heterosexual high school students nationwide.
- In 2015, 85.3% of black high school students, 84.1% of Hispanic high school students, and 92.3% of white high school students in Connecticut reported never having been tested for HIV, compared to 83.4% of black high school students, 88.9% of Hispanic high school students, and 92.0% of white high school students nationwide.

### Reported having been physically forced to have sexual intercourse

- In 2015, 9.3% of female high school students and 6.2% of male high school students in Connecticut reported having been physically forced to have sexual intercourse, compared to 10.3% of female high school students and 3.1% of male high school students nationwide.
- In 2015, 18.9% of LGB high school students, 17.6% of high school students who were unsure of their sexual orientation, and 6.1% of heterosexual high school students in Connecticut reported having been physically forced to have sexual intercourse, compared to 17.8% of LGB high school students, 12.6% of high school students who were unsure of their sexual orientation, and 5.4% of heterosexual high school students nationwide.
- In 2015, 14.4% of black high school students, 9.6% of Hispanic high school students, 5.3% of white high school students, and 15.5% of high school students who identified as multiple races in Connecticut reported having been physically forced to have sexual intercourse,

## CONNECTICUT

compared to 7.3% of black high school students, 7.0% of Hispanic high school students, 6.0% of white high school students, and 12.1% of high school students who identified as multiple races nationwide.

### Reported experiencing physical dating violence

- In 2015, 8.7% of female high school students and 6.8% of male high school students in Connecticut reported experiencing physical dating violence in the prior year, compared to 11.7% of female high school students and 7.4% of male high school students nationwide.
- In 2015, 11.2% of LGB high school students, 7.6% of high school students who were unsure of their sexual orientation, and 6.8% of heterosexual high school students in Connecticut reported experiencing physical dating violence in the prior year, compared to 17.5% of LGB high school students, 24.5% of high school students who were unsure of their sexual orientation, and 8.3% of heterosexual high school students nationwide.
- In 2015, 7.7% of black high school students, 10.3% of Hispanic high school students, and 7% of white high school students in Connecticut reported experiencing physical dating violence in the prior year, compared to 10.5% of black high school students, 9.7% of Hispanic high school students, and 9.0% of white high school students nationwide.

### Reported experiencing sexual dating violence

- In 2015, 16.4% of female high school students and 6.4% of male high school students in Connecticut reported experiencing sexual dating violence in the prior year, compared to 15.6% of female high school students and 5.4% of male high school students nationwide.
- In 2015, 17.5% of LGB high school students, 24.7% of high school students who were unsure of their sexual orientation, and 10% of heterosexual high school students in Connecticut reported experiencing sexual dating violence in the prior year, compared to 22.7% of LGB high school students, 23.8% of high school students who were unsure of their sexual orientation, and 9.1% of heterosexual high school students nationwide.
- In 2015, 10% of black high school students, 8.4% of Hispanic high school students, and 13.1% of white high school students in Connecticut reported experiencing sexual dating violence in the prior year, compared to 10% of black high school students, 10.6% of Hispanic high school students, and 10.1% of white high school students nationwide.

Visit the CDC [Youth Online](#) database and [Health Risks Among Sexual Minority Youth](#) report for additional information on sexual behaviors.

### **CONNECTICUT SCHOOL HEALTH PROFILES DATA<sup>7</sup>**

In 2015, the CDC released the School Health Profiles, which measures school health policies and practices and highlights which health topics were taught in schools across the country. Since the data was collected from self-administered questionnaires completed by schools' principals and lead health



education teachers, the CDC notes that one limitation of the School Health Profiles is bias toward the reporting of more positive policies and practices.<sup>8</sup> In the School Health Profiles, the CDC identifies 16 sexual education topics that it believes are critical to a young person's sexual health. Below are key instruction highlights for secondary schools in Connecticut as reported for the 2013–2014 school year.

#### 16 CRITICAL SEXUAL EDUCATION TOPICS IDENTIFIED BY THE CDC

- 1) How to create and sustain healthy and respectful relationships
- 2) Influences of family, peers, media, technology, and other factors on sexual risk behavior
- 3) Benefits of being sexually abstinent
- 4) Efficacy of condoms
- 5) Importance of using condoms consistently and correctly
- 6) Importance of using a condom at the same time as another form of contraception to prevent both STDs and pregnancy
- 7) How to obtain condoms
- 8) How to correctly use a condom
- 9) Communication and negotiation skills
- 10) Goal-setting and decision-making skills
- 11) How HIV and other STDs are transmitted
- 12) Health consequences of HIV, other STDs, and pregnancy
- 13) Influencing and supporting others to avoid or reduce sexual risk behaviors
- 14) Importance of limiting the number of sexual partners
- 15) How to access valid and reliable information, products, and services related to HIV, STDs, and pregnancy
- 16) Preventive care that is necessary to maintain reproductive and sexual health.

*Source: School Health Profiles, 2014*

#### Reported teaching all 16 critical sexual health education topics

- 11.5% of Connecticut secondary schools taught students all 16 critical sexual health education topics in a required course in any of grades 6, 7, or 8.<sup>9</sup>
- 68.5% of Connecticut secondary schools taught students all 16 critical sexual health education topics in a required course in any of grades 9, 10, 11, or 12.<sup>10</sup>

#### Reported teaching about the benefits of being sexually abstinent

- 69.4% of Connecticut secondary schools taught students about the benefits of being sexually abstinent in a required course in any of grades 6, 7, or 8.<sup>11</sup>
- 96.9% of Connecticut secondary schools taught students about the benefits of being sexually abstinent in a required course in any of grades 9, 10, 11, or 12.<sup>12</sup>

#### Reported teaching how to access valid and reliable information, products, and services related to HIV, other sexually transmitted diseases (STDs), and pregnancy

- 54.8% of Connecticut secondary schools taught students how to access valid and reliable information, products, and services related to HIV, other STDs, and pregnancy in a required course in any of grades 6, 7, or 8.<sup>13</sup>

## CONNECTICUT

- 95% of Connecticut secondary schools taught students how to access valid and reliable information, products, and services related to HIV, other STDs, and pregnancy in a required course in any of grades 9, 10, 11, or 12.<sup>14</sup>

### Reported teaching how to create and sustain healthy and respectful relationships

- 69.9% of Connecticut secondary schools taught students how to create and sustain healthy and respectful relationships in a required course in any of grades 6, 7, or 8.<sup>15</sup>
- 96.8% of Connecticut secondary schools taught students how to create and sustain healthy and respectful relationships in a required course in any of grades 9, 10, 11, or 12.<sup>16</sup>

### Reported teaching about preventive care that is necessary to maintain reproductive and sexual health

- 48.9% of Connecticut secondary schools taught students about preventive care that is necessary to maintain reproductive and sexual health in a required course in any of grades 6, 7, or 8.<sup>17</sup>
- 93.4% of Connecticut secondary schools taught students about preventive care that is necessary to maintain reproductive and sexual health in a required course in any of grades 9, 10, 11, or 12.<sup>18</sup>

### Reported teaching how to correctly use a condom

- 18.1% of Connecticut secondary schools taught students how to correctly use a condom in a required course in any of grades 6, 7, or 8.<sup>19</sup>
- 82.7% of Connecticut secondary schools taught students how to correctly use a condom in a required course in any of grades 9, 10, 11, or 12.<sup>20</sup>

### Reported teaching about all seven contraceptives

- 72.7% of Connecticut secondary schools taught students about all seven contraceptives—birth control pill, patch, ring, and shot; implants; intrauterine device; and emergency contraception—in a required course in any of grades 9, 10, 11, or 12.<sup>21</sup>

### Reported providing curricula or supplementary materials relevant to LGB, transgender, and questioning (LGBTQ) youth

- 35.9% of Connecticut secondary schools provided students with curricula or supplementary materials that included HIV, STD, or pregnancy prevention information relevant to LGBTQ youth.<sup>22</sup>

Visit the CDC's [School Health Profiles](#) report for additional information on school health policies and practices.



### CONNECTICUT TEEN PREGNANCY, HIV/AIDS, AND OTHER STD DATA

The following data from the CDC and the Guttmacher Institute represent the most recent state-specific statistics documenting teen pregnancy, birth, abortion, HIV/AIDS, and other STDs. For those wishing to support the sexual health and wellbeing of young people, it is important to use the data to advance their access to comprehensive education, resources, and services. However, the data is not intended to be used in a manner that is stigmatizing or shaming: Young people have the right to make informed decisions about their health and wellbeing, but this right must be accompanied by the ability to access and understand all available choices. Therefore, the following data should be used to advance a young person's right to make informed decisions about their body and health.

#### Teen Pregnancy, Birth, and Abortion

- In 2013, Connecticut had the 43rd highest reported teen pregnancy rate in the United States, with a rate of 29 pregnancies per 1,000 young women ages 15–19, compared to the national rate of 43 per 1,000.<sup>23</sup> There were a total of 3,670 pregnancies among young women ages 15–19 reported in Connecticut in 2013.<sup>24</sup>
- In 2015, Connecticut had the 49th highest reported teen birth rate in the United States, with a rate of 10.1 births per 1,000 young women ages 15–19, compared to the national rate of 22.3 per 1,000.<sup>25</sup> There were a total of 1,241 live births to young women ages 15–19 reported in Connecticut in 2015.<sup>26</sup>
- In 2013, Connecticut had the 7th highest reported teen abortion rate<sup>27</sup> in the United States, with a rate of 13 abortions per 1,000 young women ages 15–19, compared to the national rate of 11 per 1,000.<sup>28</sup> There were a total of 1,580 abortions among young women ages 15–19 reported in Connecticut in 2013.<sup>29</sup>

#### HIV and AIDS

- In 2015, the reported rate of diagnoses of HIV infection among adolescents ages 13–19 in Connecticut was 3.2 per 100,000, compared to the national rate of 5.8 per 100,000.<sup>30</sup>
- In 2015, the reported rate of AIDS diagnoses among adolescents ages 13–19 in Connecticut was 0.0 per 100,000, compared to the national rate of 0.7 per 100,000.<sup>31</sup>
- In 2015, the reported rate of diagnoses of HIV infection among young adults ages 20–24 in Connecticut was 17 per 100,000, compared to the national rate of 31.1 per 100,000.<sup>32</sup>
- In 2015, the reported rate of AIDS diagnoses among young adults ages 20–24 in Connecticut was 3.2 per 100,000, compared to the national rate of 5.6 per 100,000.<sup>33</sup>

#### STDs

- In 2015, Connecticut had the 45th highest rate of reported cases of chlamydia among young people ages 15–19 in the United States, with an infection rate of 1,276.4 cases per 100,000,

CONNECTICUT

compared to the national rate of 1,857.8 per 100,000. In 2015, there were a total of 3,220 cases of chlamydia among young people ages 15–19 reported in Connecticut.<sup>34</sup>

- In 2015, Connecticut had the 42nd highest rate of reported cases of gonorrhea among young people ages 15–19 in the United States, with an infection rate of 112.6 cases per 100,000, compared to the national rate of 341.8 per 100,000. In 2015, there were a total of 284 cases of gonorrhea among young people ages 15–19 reported in Connecticut.<sup>35</sup>
- In 2015, Connecticut had the 43rd highest rate of reported cases of primary and secondary syphilis among young people ages 15–19 in the United States, with an infection rate of 1.6 cases per 100,000, compared to the national rate of 5.4 per 100,000. In 2015, there were a total of 4 cases of syphilis reported among young people ages 15–19 in Connecticut.<sup>36</sup>

Visit the Office of Adolescent Health’s (OAH) [Connecticut Adolescent Health Facts](#) for additional information.

**FEDERAL FUNDING FOR SEXUALITY EDUCATION, UNINTENDED TEEN PREGNANCY, HIV AND OTHER STD PREVENTION, AND ABSTINENCE-ONLY-UNTIL-MARRIAGE (AOUM) PROGRAMS**

**FISCAL YEAR 2017 FEDERAL FUNDING IN CONNECTICUT**

<b>Grantee</b>	<b>Award</b>
<b>Division of Adolescent and School Health (DASH)</b>	
Connecticut State Department of Education	\$415,000
<b>TOTAL</b>	<b>\$415,000</b>
<b>Teen Pregnancy Prevention Program (TPPP)</b>	
TPPP Tier 1B	
City of Hartford, Department of Health and Human Services	\$999,999
<b>TOTAL</b>	<b>\$999,999</b>
<b>Personal Responsibility Education Program (PREP)</b>	
PREP State-Grant Program	
Connecticut State Department of Public Health (federal grant)	\$544,655
<b>TOTAL</b>	<b>\$544,655</b>
<b>GRAND TOTAL</b>	
	<b>\$1,959,654</b>

**DIVISION OF ADOLESCENT AND SCHOOL HEALTH**

The CDC’s school-based HIV prevention efforts include funding and technical assistance to state and local education agencies through several funding streams to better student health, implement HIV/STD

## CONNECTICUT

prevention programs, collect and report data on young people's risk behaviors, and expand capacity-building partnerships. In FY 2017, through the CDC's Division of Adolescent and School Health (DASH), 18 state education agencies and 17 school districts received funding to help the districts and schools strengthen student health through exemplary sexual health education (ESHE) that emphasizes HIV and other STD prevention, increases access to key sexual health services (SHS), and establishes safe and supportive environments (SSE) for students and staff. DASH funded six national, non-governmental organizations (NGOs) to help state and local education agencies achieve these goals.

- In FY 2017, there was one DASH grantee in Connecticut funded to strengthen student health through ESHE, SHS, and SSE (1308 Strategy 2): The Connecticut State Department of Education (\$320,000).

CONNECTICUT STATE DEPARTMENT OF EDUCATION, \$320,000 (FY 2017)

With its 1308 Strategy 2 funds, the Connecticut State Department of Education assists districts with reviewing policies and selecting curricula that align with the [National Sexuality Education Standards](#) and the [Connecticut Department of Education Sexual Health Education Guidelines](#) to increase the number of districts teaching quality sexual health curriculum. To help young people access health services and to reduce stigma, the department is developing guidance for local districts to expand relationships with school and community health providers. The department also provides training and follow-up support for teachers, nurses, and other school staff on improving school connectedness, parent/family engagement, school climate, and sexual harassment prevention policies.<sup>37</sup>

In addition, DASH funds local education agencies and nongovernmental organizations (NGOs) to implement multiple program activities to meet the HIV- and other STD-prevention needs of young men who have sex with men (YMSM) and to develop strategic partnerships and collaborations between schools and community-based, mental health, and social services organizations to accomplish this work.

- In FY 2017, there were no DASH grantees in Connecticut funded to deliver YMSM programming (1308 Strategy 4).

DASH also provides funding for state, territorial, and local education agencies and state health agencies to establish and strengthen systematic procedures to collect and report YRBS and School Health Profiles data for policy and program improvements.

- In FY 2017, there was one DASH grantee in Connecticut funded to collect and report YRBS and School Health Profiles data (1308 Strategy 1): The Connecticut State Department of Education (\$95,000).

### **TEEN PREGNANCY PREVENTION PROGRAM (TPPP)**

The OAH, within the U.S. Department of Health and Human Services (HHS), administers TPPP, which funds evidence-based or innovative evidence-informed, medically accurate, and age-appropriate programs to reduce teen pregnancy. In FY 2017, total funding for TPPP was \$101 million, supporting 84 states, cities, non-profit organizations, school districts, universities, community-based organizations, and tribal organizations. These grantees were in year three of five TPPP funding tiers' five-year cooperative agreements in 33 states, the District of Columbia, and the Marshall Islands. In June 2017, however, 81 of the 84 grantees were notified, without cause or explanation, that their project periods were shortened to just three years, to end on June 30, 2018. Since the other three grantees are on a different grant cycle, they had

not yet received notice on the status of their funding at the time of publication. OAH provides program support, implementation evaluation, and technical assistance to grantees and receives an additional \$6.8 million in funding for evaluation purposes. Below is information on the five TPPP funding tiers:

Tier 1A: Capacity building to support replication of evidence-based TPP programs.

- In FY 2017, there were no TPPP Tier 1A grantees in Connecticut.

Tier 1B: Replicating evidence-based TPP programs to scale in communities with the greatest need.

- In FY 2017, there was one TPPP Tier 1B grantee in Connecticut: The City of Hartford Department of Health and Human Services (\$999,999).

CITY OF HARTFORD, \$999,999 (FY 2017)

The City of Hartford's Department of Health and Human Services implements the city's TPPP Tier 1B grant and employs a multifaceted strategy to provide teen pregnancy prevention programming and clinical services to young people. The Hartford Teen Pregnancy Prevention Initiative (HTPPI) aims to reduce rates of teen pregnancy, sexually transmitted infections (STIs), and HIV in Hartford by increasing young people's access to services and providing technical assistance and support to community-based organizations. HTPPI will also develop a "sustainable, citywide community collaborative to focus on [TPP]" and increase capacity of community-based organizations.<sup>38</sup> HHTPPI will include implementation of evidence-based programs, including *Making a Difference!, Be Proud! Be Responsible!, Love Notes, and Get Real*, in school- and community-based settings. The Department of Health and Human Services aims to serve an average of 1,500 young people per year in the city of Hartford.<sup>39</sup>

Tier 2A: Supporting and enabling early innovation to advance adolescent health and prevent teen pregnancy.

- In FY 2017, there were no TPPP Tier 2A grantees in Connecticut.

Tier 2B: Rigorous evaluation of new or innovative approaches to prevent teen pregnancy.

- In FY 2017, there were no TPPP Tier 2B grantees in Connecticut.

Tier 2C: Effectiveness of TPP programs designed specifically for young males.

- In FY 2017, there were no TPPP Tier 2C grantees in Connecticut.

### **PERSONAL RESPONSIBILITY EDUCATION PROGRAM (PREP)**

The Family and Youth Services Bureau (FYSB), within the Administration for Children and Families (ACF) division of HHS, administers PREP, which was authorized for a total of \$75 million in FY 2017 for the state-grant program; local entities through the competitively awarded Personal Responsibility Education Innovative Strategies (PREIS) program; and the Tribal PREP, which funds tribes and tribal organizations. In addition, provisions within the PREP statute enable a competitive application process for community- and faith-based organizations within states and territories that do not directly seek PREP state grants to apply for funding through the Competitive Personal Responsibility Education Program (CPREP).

Similar to other programs highlighted in the State Profiles, the grants for the various PREP programs are awarded throughout the year, with several awarded in the final month of the fiscal year for use and

implementation throughout the following year. SIECUS reports on funding amounts appropriated in FY 2017 and any programmatic activities that occurred during FY 2017, or October 1, 2016–September 30, 2017. It is important to remember, however, that reported programmatic activities for this period may have utilized FY 2016 funds. Details on the state grants, PREIS, Tribal PREP, and CPREP are included below. More information and clarification surrounding funding announcements are also included below, as well as in the FY 2017 Executive Summary, [\*A Portrait of Sexuality Education in the States\*](#).

### PREP State-Grant Program

State-grant PREP supports evidence-based programs that provide young people with medically accurate and age-appropriate information for the prevention of unintended pregnancy, HIV, and other STDs. In FY 2017, 44 states, the District of Columbia, the Federated States of Micronesia, Guam, Puerto Rico, the Republic of Palau, and the Virgin Islands received PREP state-grant funds. Funded programs must discuss abstinence and contraception and place substantial emphasis on both. Programs must also address at least three of the following adulthood preparation subjects: healthy relationships, positive adolescent development, financial literacy, parent-child communication skills, education and employment skills, and healthy life skills.

- In FY 2017, the Connecticut State Department of Public Health received \$544,655 in federal PREP funds.<sup>40</sup>
- There were five sub-grantees for the Connecticut PREP state-grant program: Partners in Social Research (\$145,000); Connecticut State Department of Mental Health and Addiction Services (\$144,255); Planned Parenthood of Southern New England, LLC (\$33,763); Department of Children & Families (\$118,489); and GBAPP, Inc. (\$67,975).<sup>41</sup>

The Connecticut State Department of Public Health uses the state's PREP funds to provide school- and community-based programming to young people ages 13–19 in grades 7–12 in geographic areas with high teen birth rates and in juvenile justice settings. The Connecticut PREP program addresses the following adult preparation topics: healthy relationships, adolescent development, and healthy life skills. The State Department of Children & Families uses the [\*Be Proud! Be Responsible! and Love Notes\*](#) curricula; GBAPP, Inc., uses [\*Be Proud! Be Responsible!\*](#) and [\*Making Proud Choices!\*](#) curricula; CREC schools use [\*Reducing the Risk\*](#) curriculum; and Planned Parenthood provides the health educators. No funding is provided to CREC schools, but through the PREP program, CREC schools receive curricula, workbooks, education materials, and faculty training.<sup>42</sup>

### Personal Responsibility Education Innovative Strategies (PREIS)

PREIS supports research and demonstration programs to develop, replicate, refine, and test innovative models for preventing unintended teen pregnancy, HIV, and other STDs.

- In FY 2017, there were no PREIS grantees in Connecticut.

### Tribal Personal Responsibility Education Program (Tribal PREP)

Tribal PREP supports the development and implementation of pregnancy-, HIV-, and other STD-prevention programs among young people within tribes and tribal communities. Tribal PREP programs target young people ages 10–19 who are in or are aging out of foster care, young people experiencing homelessness, young people living with HIV, young people who live in areas with high rates of adolescent

births, and young people under age 21 who are pregnant and/or parenting. In FY 2017, eight tribes and tribal organizations from seven states received a total of \$3,271,693.

- In FY 2017, there were no Tribal PREP grantees in Connecticut.

#### Competitive Personal Responsibility Education Program (CPREP)

CPREP grants support evidence-based programs that provide young people with medically accurate and age-appropriate information for the prevention of unintended pregnancy, HIV, and other STDs. Only organizations and institutions in states and territories that did not apply for PREP state grants are eligible to submit competitive applications for CPREP grants. In FY 2017, 21 CPREP grants, totaling \$10.2 million, were awarded to 21 organizations in Florida, Indiana, North Dakota, Texas, and Virginia, as well as in American Samoa, Guam, and the Northern Mariana Islands.

- In FY 2017, Connecticut received PREP state-grant funding; therefore, entities in Connecticut were not eligible for CPREP.

#### **TITLE V “ABSTINENCE EDUCATION” STATE GRANT PROGRAM**

The Title V “abstinence education” state grant program for AOUM programming, or the Title V AOUM program, is administered by FYSB, within ACF of HHS, and was authorized at \$75 million for FY 2017. The Title V AOUM program requires states to provide three state-raised dollars, or the equivalent in services, for every four federal dollars received. The state match may be provided in part or in full by local groups. All programs funded by Title V AOUM must exclusively promote abstinence from sexual activity and may provide mentoring, counseling, and adult supervision toward this end.<sup>43</sup>

- In FY 2017, Connecticut chose not to apply for Title V AOUM funds.

#### **“SEXUAL RISK AVOIDANCE EDUCATION” (SRAE) GRANT PROGRAM**

Administered by FYSB within ACF of HHS, the SRAE program—a rebranding of the competitive AOUM grant program—provides funding for public and private entities for programs that “teach young people to voluntarily refrain from non-marital sexual activity and prevent other youth risk behaviors.” These programs are also required by statute to “teach the benefits associated with self-regulation; success sequencing for poverty prevention; healthy relationships; goal setting and resisting sexual coercion; dating violence; and other youth risk behaviors, such as underage drinking or illicit drug use, without normalizing teen sexual activity.” In FY 2017, \$15 million was appropriated for the SRAE grant program, and \$13.5 million was awarded to 27 grantees in 14 states through a competitive application process.

- In FY 2017, there were no SRAE grantees in Connecticut.

## **POINTS OF CONTACT**

### **DASH Contact**

Bonnie J. Edmondson, Ed.D.  
HIV/STD Prevention Education Coordinator  
Connecticut State Department of Education  
25 Industrial Park Rd.  
Middletown, CT 06457



CONNECTICUT

Phone: (860) 807-2055  
Fax: (860) 807-2062  
Email: [Bonnie.Edmondson@ct.gov](mailto:Bonnie.Edmondson@ct.gov)

**TPPP Contact**

Carmen Chaparro  
City of Hartford, Department of Health and Human Services  
Phone: (860) 757-4773  
Email: [Chapc001@hartford.gov](mailto:Chapc001@hartford.gov)

**PREP State-Grant Program Contact**

Donna Maselli, RN, MPH  
State Women’s Health Coordinator  
Connecticut Department of Public Health  
410 Capitol Ave.  
MS #11 MAT  
Hartford, CT 06134-0308  
Phone: (860) 509-7505  
Fax: (860) 509-8132  
Email: [Donna.Maselli@ct.gov](mailto:Donna.Maselli@ct.gov)

---

<sup>1</sup> This refers to the federal government’s fiscal year, which begins on October 1 and ends on September 30. The fiscal year is designated by the calendar year in which it ends; for example, FY 2017 began on October 1, 2016, and ended on September 30, 2017.

<sup>2</sup> Conn. Gen. Stat. § 164-10-19(b) [www.cga.ct.gov/current/pub/chap\\_164.htm#sec\\_10-19](http://www.cga.ct.gov/current/pub/chap_164.htm#sec_10-19).

<sup>3</sup> Conn. Gen. Stat. § 164-10-16(c) [www.cga.ct.gov/current/pub/chap\\_164.htm#sec\\_10-19](http://www.cga.ct.gov/current/pub/chap_164.htm#sec_10-19).

<sup>4</sup> “Youth Online,” Centers for Disease Control and Prevention, <https://nccd.cdc.gov/youthonline/App/Default.aspx>.

<sup>5</sup> “Methodology of the Youth Risk Behavior Surveillance System – 2013,” pg. 17, Centers for Disease Control and Prevention, [www.cdc.gov/mmwr/pdf/rr/rr6201.pdf](http://www.cdc.gov/mmwr/pdf/rr/rr6201.pdf).

<sup>6</sup> It is critical to examine social determinants when analyzing potentially stigmatizing data. Accounting for differences in people’s lived experiences based on race, ethnicity, sexual orientation, socioeconomic status, etc., is a vital part of understanding the context in which the data exist. We encourage readers to exercise caution when using the data and warn readers against using the data in a manner that conflates correlation with causation. Please visit the FY 2017 Executive Summary, [A Portrait of Sexuality Education in the States](#), for more context.

<sup>7</sup> “School Health Profiles 2014,” Centers for Disease Control and Prevention, <https://nccd.cdc.gov/youthonline/App/Default.aspx>.

<sup>8</sup> Ibid., pg. 51.

<sup>9</sup> Ibid., Table 9c.

<sup>10</sup> Ibid., Table 11c.

<sup>11</sup> Ibid., Table 9a.

<sup>12</sup> Ibid., Table 11a.

<sup>13</sup> Ibid., Table 9a.

<sup>14</sup> Ibid., Table 11a.

<sup>15</sup> Ibid., Table 9b.

<sup>16</sup> Ibid., Table 11b.

<sup>17</sup> Ibid., Table 9b.

<sup>18</sup> Ibid., Table 11b.

<sup>19</sup> Ibid., Table 9c.

<sup>20</sup> Ibid., Table 11c.

<sup>21</sup> Ibid., Table 13.

<sup>22</sup> Ibid., Table 39.

<sup>23</sup> Arpaia, A., Kost, K., and Maddow-Zimet, I., *Pregnancies, Births and Abortions Among Adolescents and Young Women in the United States, 2013: State Trends by Age, Race, and Ethnicity* (New York: Guttmacher Institute, 2017),

[https://www.guttmacher.org/sites/default/files/report\\_downloads/us-adolescent-pregnancy-trends-2013\\_tables.pdf](https://www.guttmacher.org/sites/default/files/report_downloads/us-adolescent-pregnancy-trends-2013_tables.pdf), Table 2.5.

<sup>24</sup> Ibid., Table 2.6.

<sup>25</sup> “Teen Birth Rate Comparison, 2015 Among Girls Age 15-19,” The National Campaign to Prevent Teen and Unplanned Pregnancy, <https://thenationalcampaign.org/data/compare/1701>.

<sup>26</sup> United States Department of Health and Human Services (US DHHS), Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Division of Vital Statistics, Natality public-use data 2007-2015, on CDC WONDER Online Database, February 2017. Accessed at <http://wonder.cdc.gov/nativity-current.html>.

<sup>27</sup> “Abortion” used in this context refers to legally induced abortions. This rate does not include abortions that occur outside of health care facilities or are unreported. Unfortunately, there is no reliable source of information for actual rates of abortion.

<sup>28</sup> Arpaia, A., Kost, K., and Maddow-Zimet, I., *Pregnancies, Births and Abortions Among Adolescents and Young Women in the United States, 2013: State Trends by Age, Race, and Ethnicity* (New York: Guttmacher Institute, 2017),

[https://www.guttmacher.org/sites/default/files/report\\_downloads/us-adolescent-pregnancy-trends-2013\\_tables.pdf](https://www.guttmacher.org/sites/default/files/report_downloads/us-adolescent-pregnancy-trends-2013_tables.pdf), Table 2.5.

<sup>29</sup> Ibid., Table 2.6.

<sup>30</sup> Slide 17: “Rates of Diagnoses of HIV Infection among Adolescents Aged 13–19 Years 2015—United States and 6 Dependent Areas,” *HIV Surveillance in Adolescents and Young Adults* (Atlanta, GA: Centers for Disease Control and Prevention),

[www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf](http://www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf).

<sup>31</sup> Slide 20: “Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Adolescents Aged 13–19 Years, 2015—United States and 6 Dependent Areas,” *HIV Surveillance in Adolescents and Young Adults* (Atlanta, GA: Centers for Disease Control and Prevention),

[www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf](http://www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf).

<sup>32</sup> Slide 18: “Rates of Diagnoses of HIV Infection among Young Adults Aged 20–24 Years 2015—United States and 6 Dependent Areas,” *HIV Surveillance in Adolescents and Young Adults* (Atlanta, GA: Centers for Disease Control and Prevention),

[www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf](http://www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf).

<sup>33</sup> Slide 21: “Rates of Diagnosed HIV Infection Classified as Stage 3 (AIDS) among Young Adults Aged 20–24 Years, 2015—United States and 6 Dependent Areas,” *HIV Surveillance in Adolescents and Young Adults* (Atlanta, GA: Centers for Disease Control and Prevention),

[www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf](http://www.cdc.gov/hiv/pdf/library/slidesets/cdc-hiv-surveillance-adolescents-young-adults-2015.pdf).

<sup>34</sup> NCHHSTP Atlas, “STD Surveillance Data” (Atlanta, GA: Centers for Disease Control and Prevention),

<http://gis.cdc.gov/GRASP/NCHHSTPAtlas/main.html>.

<sup>35</sup> Ibid.

<sup>36</sup> Ibid.

<sup>37</sup> Centers for Disease Control and Prevention, Adolescent and School Health, Funded State Agencies, Atlanta, GA,

[www.cdc.gov/healthyyouth/partners/funded\\_states.htm#ca](http://www.cdc.gov/healthyyouth/partners/funded_states.htm#ca).

<sup>38</sup> “City of Hartford, Connecticut,” Grantees (CT) – TPP Tier 1B, U.S. Department of Health and Human Services, Office of Adolescent Health, [www.hhs.gov/ash/oah/grants/grantees/tpp/1b/city-of-hartford-connecticut.html](http://www.hhs.gov/ash/oah/grants/grantees/tpp/1b/city-of-hartford-connecticut.html).

<sup>39</sup> Ibid.

<sup>40</sup> “2017 State Personal Responsibility Education Program (PREP) Awards,” Family and Youth Services Bureau, Administration for Children & Families, U.S. Department of Health & Human Services, [www.acf.hhs.gov/fysb/resource/2017-state-prep-awards](http://www.acf.hhs.gov/fysb/resource/2017-state-prep-awards).

<sup>41</sup> Information provided by Donna Maselli, RN, MPH, PREP Coordinator, State Women’s Health Coordinator, Connecticut Department of Public Health, June 19, 2017.

<sup>42</sup> Ibid.

<sup>43</sup> 42 U.S.C. 710, Title V, Section 510 of the Social Security Act, the authorization for the Title V AOUM grant program, defines “abstinence education” as “an educational or motivational program which:

(A) has as its exclusive purpose, teaching the social, psychological, and health gains to be realized by abstaining from sexual activity;

(B) teaches abstinence from sexual activity outside marriage as the expected standard for all school-age children;

(C) teaches that abstinence from sexual activity is the only certain way to avoid out-of-wedlock pregnancy, sexually transmitted diseases, and other associated health problems;

CONNECTICUT

---

- (D) teaches that a mutually faithful monogamous relationship in context of marriage is the expected standard of human sexual activity;
  - (E) teaches that sexual activity outside of the context of marriage is likely to have harmful psychological and physical effects;
  - (F) teaches that bearing children out-of-wedlock is likely to have harmful consequences for the child, the child's parents, and society;
  - (G) teaches young people how to reject sexual advances and how alcohol and drug use increases vulnerability to sexual advances; and
  - (H) teaches the importance of attaining self-sufficiency before engaging in sexual activity.”
- [www.ssa.gov/OP Home/ssact/title05/0510.htm](http://www.ssa.gov/OP Home/ssact/title05/0510.htm).